

## Contents

### VOLUME I / DESALINATION 73

#### DESALINATION IN TOTAL WATER RESOURCE MANAGEMENT

- 3      The increasing demand for desalination  
*T.A. Dabbagh and A. Al-Saqabi (Kuwait)*
- 27     Treated wastewaters as a growing water resource for agriculture use  
*I.S. Al-Mutaz (Riyadh)*
- 37     Management and feasibility of reverse osmosis schemes for rural water supply in India  
*S. Prabhakar, R.N. Patra, B.M. Misra and M.P.S. Ramani (Bombay)*
- 47     Water supply and desalination in northwestern Egypt  
*O.K. Buros and S. Yacoub (Gainesville, FL and Cairo)*
- 61     Feasibility of seawater desalination to solve water shortage problems of the Salina Cruz (Pemex) Refinery  
*C.A. Fernández, B.H. Huerta and F.E. Latapi (Mexico City)*

#### NON-TRADITIONAL DESALINATION TECHNOLOGIES

- 81     DELBUOY: Ocean wave-powered seawater reverse osmosis desalination system  
*D.C. Hicks, G.R. Mitcheson, C.M. Pleass and J.F. Salevan (Lewes & Newark, DE and Christiansted, St. Croix)*
- 95     Development, testing and the economics of a composite/plastic seawater reverse osmosis pump  
*D.C. Hicks, W.A. Fearn, C.M. Pleass and D. Staples (Lewes & Newark, DE)*
- 111    Development and application of a roof type solar still  
*K. Murase, S. Kobayashi, M. Nakamura and S. Toyama (Nagoya)*
- 119    The carrier-gas process — a new desalination and concentration technology  
*R. Larson, W. Albers, J. Beckman and S. Freeman (Minneapolis, MI and Tempe, AZ)*
- 139    Humidity water vapour collection by absorption cooling machines  
*S.E. Aly (Jeddah)*
- 167    Prospective of two small water producing units  
*A.A. Madani and G.M. Zaki (Jeddah)*

- 181 Evaluation of solar powered desalination processes  
*I.S. Al-Mutaz and M.I. Al-Ahmed (Riyadh)*
- 191 Performance ratio, area economy and economic returns for an integrated solar energy/multi-stage flash desalination plant  
*D. Singh and S.K. Sharma (Chandigarh)*
- 197 Solar desalination with a high efficiency multi effect process offers new facilities  
*A. Böhner (Laaizen, FRG)*

#### OPERATIONAL EXPERIENCE — EVAPORATIVE

- 207 Study of the operating conditions for three large MSF desalination units each of capacity 7.2/8.6 MGD (27360/32832 tons/day)  
*M.H. Ali El Saie, M.S.J. El Kafrawi and M.J. Kamel (Cairo)*
- 231 Method for extending heat exchanger and condenser life  
*C.P. Tallman, Sr. (Southport, CT)*
- 247 Review of large desalination plant experience in the Americas  
*R.M. Ahlgren and I. Smith (Waukesha and Milwaukee, WI)*
- 267 Experiences with 1a highly alloyed stainless steel in desalination plants and other Arabian Gulf industrial plants  
*J. Olsson and M.L. Erbing (Avesta)*
- 277 Rehabilitation of desalination plants at Sitra Power Station, Bahrain  
*K. Borashid and K. Kato (Bahrain and Tokyo)*
- 295 A recarbonation process for treatment of distilled water produced by MSF plants in Kuwait  
*H. Al-Rqobah and A. Al-Munayyis (Kuwait)*
- 313 Practical experience in scale control  
*M.A.K. Al-Sofi, S. Khalaf and A. Al Omran (Al-Khobar)*
- 327 Operational experience of once through MSF desalination units  
*A.A. Al Owais, R.K. Nijhawan, P.K. Budhiraja (Kuwait)*
- 341 BELGARD EV — 15 years' experience in scale control  
*M.A. Finan, S. Smith, C.K. Evans and J.W.H. Muir (Manchester)*
- 359 Studies on MSF desalination — process design, construction and startup of a prototype MSF plant in India  
*P.K. Tewari, M.S. Hanra, R.K. Verma and M.P.S. Ramani (Bombay)*
- 371 Prevention of the scale trouble of multi-effect stacked desalination plants  
*Y. Fujioka, M. Soda, M. Zama and I. Shimizu (Tokyo)*
- 385 Experience with MSF desalination plants in Libya  
*A.I. El-Twatty and S.A. Karshman (Tripoli)*

- 397 Localized corrosion at welds in structural steel under desalination plant conditions:  
 Part I — Effect of surface roughness and type of welding electrode  
 Part II — Effect of heat treatment, test temperature and test media  
*N. M.A. Eid (Dhahran)*
- 407 Operating experience of MSF desalination plant at the Abu Kammash Chemical Complex  
*N.K. Pareek, A. Aboudher, H.M. Hassan Beck and M.M. Elgarni (Tripoli)*
- 417 Light gauge welded titanium tubes for seawater desalination plants  
*K. Kohsaka, K. Kitaoka, Y. Masuyama, M. Oshiyama, M. Yamamoto and K. Kashida (Japan)*
- 429 Some aspects of the development and operation of the desalination installations with horizontal-tube thin-film evaporators  
*V.L. Podbereznyi, Ju.K. Smirnov and Ju. V. Putilin (Sverdlovsk)*
- 447 Corrosion behaviour of aluminium-base alloys in desalination plants  
*O.H. Lebedeva, A.H. Lebedev, M.N. Fokin, S.V. Lomakina, T.A. Severova and B.A. Gromov (Sverdlovsk)*
- 457 Jeddah stack emissions — Problems and solutions  
*A. Al-Azzaz, J. Abrams, S. Zaczek and L. Awerbuch (Riyadh, San Francisco, CA and Washington, DC)*

## VOLUME II / DESALINATION 74

### OPERATIONAL EXPERIENCE — SEAWATER RO

- 3 Conventional pretreatment of surface seawater for reverse osmosis application, state of the art  
*A.Y. Al-Borno and M. Abdel-Jawad (Kuwait)*
- 37 Performance evaluation of SWCC SWRO plants  
*A.M. Hassan, S. Al-Jarrah, T. Al-Lohibi, A. Al-Hamdan, L. M. Bakheet, M.M.J. Al-Amri (Al-Jubail, Um-Lujj, and Jeddah)*
- 51 New chloramine process to control aftergrowth and biofouling in Permasep<sup>R</sup> B-10 RO surface seawater plants  
*L.E. Applegate, C.W. Erkenbrecher, Jr. and H. Winters (Wilmington, DE, Newark, DE, and Teaneck, NJ)*
- 69 Biological fouling and control at Ras Abu Jarjur R.O. Plant — A new approach  
*S.R. Ahmed, M.S. Alansari and T. Kannari (Bahrain)*

- 85 Performance of materials used in seawater reverse osmosis plants  
*J. Carew, M. Abdel-Jawad, A. Julka and Y. Al-Wazzan (Kuwait)*
- 113 Improving reverse osmosis performance through periodic cleaning  
*S.I. Graham, R.L. Reitz, and C.E. Hickman (USA)*
- 125 On the standardization of performance data for reverse osmosis desalination plants  
*B.A.Q. Darwish, M. Abdel-Jawad and G.S. Aly (Kuwait)*
- 141 Scaling potential of Kuwait seawater for reverse osmosis desalination  
*S.E. Ebrahim and B.A. Darwish (Kuwait)*
- 157 Corrosion resistant materials for seawater RO plants  
*A.M. Hassan and A.U. Malik (Al-Jubail)*
- 171 A twenty year case history — the B-9 hollow fiber permeator  
*I.Moch, Jr (Wilmington, DE)*
- 183 Three-year experience of a seawater RO plant operating at a conversion greater than 50% in the Cayman Islands  
*H.Winters (Teaneck, NJ)*
- 187 Economic and technical factors affecting seawater reverse osmosis process design  
*T.E. Sulpizio, W.G. Light and J.L. Perlman (San Diego, CA)*

#### RESEARCH AND DEVELOPMENT — EVAPORATIVE

- 205 Trihalomethanes (THMs) formation in multi-stage flash (MSF) distillation plants  
*N.A. Latif, F.M. Al-Awadi and B.A. Colenutt (Kuwait and Uxbridge)*
- 227 A predictive model to find the optimum chlorine treatment scenario for biofouling control  
*B.A. Al-Hoti (Kuwait)*
- 243 Monitoring of organic compounds in feed and product water samples from MSF plants in the eastern coast of Saudi Arabia  
*P.C. Mayankutty, A.A. Nomani and T.S. Thankachan (Al-Jubail)*
- 259 Factors affecting the corrosion behaviour of CN 108 alloy in sea water  
*G. Gusmano, C. Simoncelli, N.M. Valota and E. Traversa (Rome and Milan)*
- 277 The Kuwait University Pilot Plant: A single multi-effect plant to study the variation of evaporation parameters at different temperatures  
*M.A. Darwish, N.M. Al Najem, T. Froment and J. de Gunzbourg (Kuwait and Paris)*

- 289 A novel 2500 GPD 5-effects wiped-film rotating-disk vapor-compression module: preliminary results  
*B. Tleimat and M. Tleimat (Alamo, CA)*
- 305 Characteristic features of the desalination plants with thin film heat exchangers  
*V. Slesarenko (Vladivostok)*
- 317 Simulation of MSF desalination plants  
*I.S. Al-Mutaz and M.A. Soliman (Riyadh)*
- 327 Transient model of multistage flash desalination  
*M.A. Rimawi, H.M. Ettouney and G.S. Aly (Kuwait)*
- 339 Electrostatically enhanced evaporation rates of saline water  
*N.N. Barthakur (Ste Anne de Bellevue)*
- 355 Inhibition efficiency of scale formation by chemical additives  
*O.D. Linnikov, V.L. Pobereznyi, N.A. Belyshev, V.M. Balakin and V.S. Talankin (Sverdlovsk)*
- 363 Heat transfer in film-type evaporator with profiled tubes  
*V.G. Rifert, V.L. Pobereznyi, Ju.V. Putilin, Ju.G. Nikitin and P.A. Barabash (Kiev and Sverdlovsk)*
- 373 Heat exchange at dropwise condensation in heat exchangers of desalination plants  
*V.G. Rifert, A.I. Sardak, S.V. Grigorenko and V.L. Pobereznyi (Sverdlovsk)*
- 383 Influence of spray density on coefficient of gas dynamic resistance for tube bundles of different configuration  
*V.V. Ilyushchenko, V.L. Pobereznyi and S.I. Golub (Sverdlovsk)*
- 391 Interaction of spraying liquid and vapour in horizontal tube film evaporators  
*V.V. Ilyushchenko, V.L. Pobereznyi and S.I. Golub (Sverdlovsk)*

## VOLUME III / DESALINATION 75

### RESEARCH AND DEVELOPMENT — MEMBRANES

- 3 Solute-solute and solute-membrane interactions in hyperfiltration of binary and ternary aqueous organic feed solutions  
*W. Pusch, Y.-L. Yu and L.-Y. Zheng (Frankfurt and Dalian)*
- 15 An approximate analytical solution for the performance of reverse osmosis plants  
*A.E.S. Al-Zahrani, M.A. Soliman and I.S. Al Mutaz (Riyadh)*

- 25 A new dual-function device for optimal energy recovery and pumping for all capacities of RO systems  
*M.A. Darwish, M. Abdel-Jawad and L.J. Hauge (Kuwait)*
- 41 Predictability of a membrane transport model: A general approach  
*K. Habib (Kuwait)*
- 55 Predictability of membrane performance of reverse osmosis systems for seawater desalination  
*B.A. Q. Darwish, G.S. Aly, H.A. Al-Rqobah and M. Abdel-Jawad (Kuwait)*
- 71 The hydraulic turbocharger: A new type of device for the reduction of feed pump energy consumption in reverse osmosis systems  
*J. Lozier, E. Oklejas, M. Silbernagel (Port Hueneme, CA and Monroe, MI)*
- 85 Design method of reverse osmosis units used in desalination  
*M.S. Hameed (Baghdad)*
- 97 Simplified analysis of transport in reverse osmosis hollow fiber membranes  
*M. Abdel-Jawad and M.A. Darwish (Kuwait)*

#### INSTRUMENTATION, AUTOMATION AND CONTROL

- 119 System identification and control of reverse osmosis desalination  
*I.M. Al-Atiqi, A.H. Ghabris and S. Ebrahim (Kuwait)*
- 141 Computerized instrumentation and control for reverse osmosis systems  
*E. Fredkin and R. Banks (Billerica, MA)*
- 149 One year operational experience on the process control system at UANE MSF Desalination Plant  
*S. Rebagliati, E. Ghiazza, K.S. Abueida (Genoa and Abu-Dhabi)*
- 171 Electrochemical monitoring of the process of boiler cleaning  
*A.M. Shams El Din and A.M.K. Tag El Din (Abu Dhabi)*
- 185 Measurement of localized metal removal in pipes by gamma-ray back-scattering method  
*S. Abdul-Majid and U. Dawood (Jeddah)*
- 199 Neutron-capture gamma-ray technique for scale identification inside pipes  
*S. Abdul-Majid and U. Dawood (Jeddah)*

#### WATER REUSE AND BRINE DISPOSAL

- 213 Municipal wastewater renovation by reverse osmosis — state of the art  
*A.H. Ghabris, M. Abdel-Jawad and G.S. Aly (Kuwait)*

- 241 A combined RO/freezing system to reduce inland rejected brine  
*A.A. Madani and S.E. Aly (Jeddah)*
- 259 Desalination plant at KWK Debiensko, Poland: Advanced mine drainage water treatment engineering for zero discharge  
*J. Masarczyk, C-H. Hansson, R.L. Solomon and B. Hallmans (Katowice, Gothenburg, Washington DC and Stockholm)*
- 289 Wastewater reclamation and reuse in Europe, Middle East and North Africa  
*A.A. Al-Khafaji and D.A. Howarth (Washington DC)*
- 315 Potential for water reuse in conjunction with desalination systems  
*R.M. Ahlgren (Waukesha, WI)*
- 329 Reuse of collected stormwater runoff for irrigation in Kuwait  
*B.A. Al-Hoti and R. Abdullah (Kuwait)*
- 341 Skid mounted mobile brackish water reverse osmosis plants at different sites in Kuwait  
*A.L.A. Malik, N.G. Younan, B.J.R. Rao and K.M. Mousa (Kuwait)*
- 363 Pre-treatment and desalination of mine drainage water in a pilot plant  
*J. Sikora, C-H. Hansson and B. Ericsson (Katowice, Gothenberg and Stockholm)*
- 379 Review of initial three years operation of waste water management scheme at 4640MW Bayswater/Liddel Power Station Complex, Australia  
*J. Stuart, T. Bryant, I. Fergus and E. Gabrielli (Australia)*

## VOLUME IV / DESALINATION 76

### MEMBRANE SOFTENING AND BRACKISH TREATMENT

- 3 Operating experience of an RO Plant as pretreatment of the demineralizer system in a cogeneration plant  
*K. Hamby and J. Chen (Big Spring and Houston, TX)*
- 15 Graphic evolution of the 24,000 hours (3 years) operating data of a RO brackish water desalination plant, in Las Palmas, Canary Islands, Spain  
*E. R. Saavedra (Las Palmas)*
- 27 Reverse osmosis and ion exchange demineralizer system for Basrah Petrochemical Complex No. 1  
*G. Ali, J.H. Dalton, P.D. Judges and C-h Tao*
- 39 THM Precursor removal and softening — Ft. Myers 12 MGD RO Membrane Plant, Florida, USA  
*P.H. Lange, P.E. Laverty, E.D. Edwards and I. Watson (San Diego, CA and Ft. Myers, FL)*

- 53 Design of compact, containerized desalination plants  
*B. Mace, Austria (Salzburg)*
- 61 Desal-5 membrane for water softening  
*D.L. Comstock (Escondido, CA)*

#### HYBRID RO/MSF SYSTEMS AND RELATED TOPICS

- 75 Jeddah 1 RO plant — Phase I: 15 MGD reverse osmosis plant  
*M. Muhurji, G. Faggard, V. Van Der Mast and H. Imai (Jeddah and Nagasaki)*
- 89 Integrated production of power and water  
*M. A-K. Al-Sofi (Al-Khobar)*
- 107 On the concentration of RO-brines by seeded horizontal tube falling film evaporation (HTFE)  
*R. Rautenbach and J. Gebel (Aachen)*
- 121 Technoeconomics of power/desalting cogeneration plants in Kuwait  
 A preliminary study  
*A.A.J. Al-Zubaidi (Kuwait)*
- 155 Optimization of dual purpose steam power and MSF desalination plant  
*M.H. Ali El-Saie and Y.M.H. Ali El-Saie (Cairo)*
- 177 Optimum design for a hybrid desalting plant  
*I.S. Al-Mutaz, M.A. Soliman and A.M. Daghtem (Riyadh)*
- 189 Hybrid desalting systems  
*L. Awerbuch, S. May, R. Soo-Hoo and V. Van der Mast (San Francisco, CA)*

#### FEASIBILITY OF SIGNIFICANT COST REDUCTIONS IN DESALINATION (ROUNDTABLE DISCUSSION)

- 201 Costs for seawater desalination in real terms, 1979 through 1989, and projections for 1999  
*G.F. Leitner (Elm Grove, WI and Boca Raton, FL)*
- 215 Comprehensive study on capital and operational expenditures for different types of seawater desalting plants (RO, MVC, ME, ME-TVC, MSF) rated between 200 m<sup>3</sup>/d and 3,000 m<sup>3</sup>/d  
*G. Fosselard and K. Wangnick (Brussels and Gnarrenburg)*
- 241 Parametric cost analysis study of seawater reverse osmosis systems design in Kuwait  
*A.A.J. Al-Zubaidi (Kuwait)*
- 281 Technical and economical comparison between large capacity MSF and RO desalting plants  
*M.A. Darwish, M. Abdel Jawad and G.S. Aly (Kuwait)*
- 305 Technical aspects of reducing desalting water cost by distillation methods  
*M.A. Darwish and M. Abdel-Jawad (Kuwait)*
- 323 Process arrangements for hybrid seawater desalination plants  
*I. Kamal, W. Schneider and G.F. Tusel (Homburg/Saar)*

